

OLI



e LINE

MINIMALISM MEETS TECHNOLOGY



e LINE

Intelligent detection

- Automatic dual flush;
- Available with manual activation at any time.

Infrared sensor

- Detection distance up to 900mm.

Stainless steel

Vandal resistant

Remote flushes

- Available in the radio version only.



e LINE

OLI.IR app

As an option, the eLINE flush plate is prepared to be connected to the OLI.IR app available for android and IOS. Bluetooth receiver is required.

To learn more access through QR CODE:



Features:


- hygienic flush timing settings;
- flushes statistics history;
- pre-flush settings;
- detection distances settings.

The eLINE flush plate for OLI flushing cisterns is activated by an intelligent infrared sensor that detects the person in the bathroom and adapts the type of water flush. Ideal for public spaces, it has a stainless steel panel that guarantees a unique design.




Automatic flush

In intelligent detection mode, the system will automatically distinguish between the complete or partial flush according to the user's action, with no need to interact with the system.



STANDING
>10 sec.
Parcial flush



SITTING
>60 sec.
Full flush
10 - 60 sec.
Parcial flush



SAME DESIGN, TWO VERSIONS



BLUETOOTH RECEIVER

RADIO RECEIVER

RADIO REMOTE CONTROL

Code: 0883582

Code: 883578

Code: 884193

STANDARD
Code: 880876



RADIO
Code: 883585



Installation requirements

eLINE compatibility:




- OLI174 PLUS AC
- OLI174 PLUS Mech + AC KIT




- OLI120 PLUS AC
- OLI120 PLUS Mech + AC KIT

Dimensional information:



Electrical connection is required:

Detailed information available in User and Installation Manual.



Follow us: