


THE BATHROOM'S CONTRIBUTION TO WATER SUSTAINABILITY



HOW TO SAVE WATER IN YOUR FLUSHING SYSTEM



DUAL FLUSH

Combining an efficient valve and flush plate with half and full flush options



4/2 L

The combination of a 4-litre (full flush) and 2-litre (half flush) flushing cistern with an efficient and suitable toilet for this purpose means immediate water savings

SAVING 2 L*

SAVING 1 L*
Half flush

(*) Comparing with a 6/3 L flush cisterr

water, as future.

Water, this gift that hydrates us and irrigates the fields that provide us with nourishment. This sea in which we navigate, this rain that balances the world. What future awaits it? What future awaits us? "Water, as future." is more than a statement, it is a belief in responding to the threat that affects water. This is what leads us at OLI every day. Contributing to saving water, the efficiency of its use, the sustainability of its origin and the respect for this element at every moment of its use. It is being aware that there is a learning process to be done and that this is the time for it. We are concerned just as we are motivated by the knowledge that throughout our history we have contributed to a more responsible and sustainable water consumption. Lower consumption flushes and a more efficient use of water without wasting water in the bathroom are all part of OLI's principles. And this also leverages our future.



CISTERN WITH 2 INLET VALVES

This flushing cistern is distinguished by having two water inlet valves in its architecture. One for drinking water from the mains and another for non-potable water designed for rainwater⁽¹⁾ but suitable for other waters (boreholes or water wells) ensuring that only clear and filtered water⁽²⁾ is used. This way it's possible to reuse rainwater for toilet flushing, saving drinking water that is essential for human consumption. It allows a more efficient use of the water resource and a saving in the water bill.

SAVE 100%

OF DRINKING WATER ON TOILET FLUSHING Exclusive connection to a second water source (1.2)

SAVE 50%

OF DRINKING WATER ON TOILET FLUSHING Exclusive connection to a second water source (1.2)

of use of an internal circuit for the use of rainwater must comply with legal regulations in this type of usage (legislation suitable for to the installation location). The same applies to water coming other sources such as boreholes whose legal framework must be respected. The correct and efficient operation of the flushing cistern requires the use of clean and filtered water.

© See the technical data sheet for the two inlet valves cistern for further specifications.



PLUS SYSTEM

This is a system created by OLI in which the inlet valve delays the water inflow into the cistern to prevent extra water being used for flushing. While flushing takes place, no new water enters the cistern. This allows saving up to 9 litres of water per day, corresponding to a 12% reduction in water bill⁽³⁾.

SAVE UP TO 9L

OF WATER PER DAY®

Based on the average usage in a single-family home of 4 people with flushing cisterns without plus technology, with 18 flushes per day. Bill savings may vary according to the charges applied in each market.






FULL FLUSH



The cistern is emptied faster than the delaying system, while the inlet valve remains closed.



Once the water is flushed, the outlet valve closes and the delaying system makes the inlet valve open to fill the cistern.





HALF FLUSH

PERFECT MATCH

OLI PRECISION MEETS DESIGN

70 years of experience in sanitary systems with a focus on cistern flushing culminated in the need to combine a ceramics range that matches OLI systems. We have always focused on water efficiency, operating accuracy, design and functionality.

OLI74 PLUS S90 cistern in combination with OLI wall-hung toilets is the perfect combination of performance and water efficiency, with a full flush of just 4 liters and a half flush of 2 liters of water*.





The combination of a cistern set to flush 4 liters (full flush) and 2 liters (half flush) with a toilet that is efficient and suitable for the purpose means immediate water saving.

2L SAVING** Full flush

1L SAVING**
Half flush

(**) Compared to a 6/3 L cistern

BREEAM + LEED

Solutions able to contribute to BREEAM + LEED rating for buildings.









 * only available for one pack code (combination OLI74 Sanitarblock and Lake/River/Lagoon toilets)

OLI SOLUTION



The bathroom as a space that merges water efficiency with design and focuses on functionality. A complete range of products for the most demanding bathroom projects.

RIVER | white

wall-hung version

FLUSH PLATES With a wide range of flush plates, OLI offers innovative solutions in terms of technology and design, such as the LESS IS MORE **IN-WALL CISTERNS** flush plate, designed by Alessio Pinto, the TRUMPET, designed by Álvaro Siza Vieira, the MOON made of porcelain and the GLASSY OLI displays the main compatibilities between in-wall cisterns and in tempered glass. sanitary ware. The tests carried out on the new sanitary ware guarantee 100% compatibility with all versions of the range: OLI74 PLUS, OLI120 PLUS, QUADRA PLUS and OLI80. FLUSHPLAKE LESS IS MORE **SHOWER TRAYS** Ensuring functionality and design is a challenge and a trend that extends to OLI's shower tray range. TAPS In different sizes, shades and in antibacterial and non-slip material, MIXER TAPS the BALANCE range is a solution with a pure and minimalist style. Industrial design, simple lines and a sensitive touch are present in OLI's mixer tap range. In bathtubs, bidets, washbasins or showers, OCEAN mixers will be a unique detail. SANITARY WARE SANITARY WARE A range that combines design with water performance. With Rim-off technology and high quality glazing, this range has a clean design that adapts to any bathroom.

LAGOON | white

(also available for floor version)

wall-hung version

HYGEA

SMART WALL-HUNG TOILET

(available in various finishes)

LAKE | matt black

wall-hung version

(available in white for wall-hung and

floor versions)





seat cover with **TAKE-OFF** system for perfect cleaning



strong seat cover with **SOFT-CLOSE** system



RIM-OFF toilet without closed rim



Sewer and water connections with glazed finish

RIVER wall-hung


White wall-hung toilet










- Rim-Off, no rim
- Sewer outlet: Horizontal connection to the wall (P-Trap)
- Water inlet and sewer outlet connections with internal glazing
- Concealed fixation
- Flush volume: 6L
- CE Marking.











OLI





code 888237



code 888245






- Material: Vitreous China
- Shape: Rectangular
- Concealed fixing
- CE Marking.





code **888262**

- Material: Duroplast
- Shape: Rectangular
- Antibacterial;
- Top fixation top fastening system
- Soft-close.







seat cover with

CLIPP-OFF
system for perfect cleaning



strong seat cover with **SOFT-CLOSE** system



RIM-OFF toilet without closed rim



sewer and water connections with glazed finish

LAKE wall-hung


White wall-hung toilet



code 888231



- Material: Vitreous China
- Rim-Off, no rim
- Sewer outlet: Horizontal connection to the wall (P-Trap)
- Water inlet and sewer outlet connections with internal glazing
- Concealed fixation;
- Flush volume: 6L
- CE Marking.



OLI


White wall-hung bidet



code 888241



- Material: Vitreous China
- Shape: Round
- Concealed fixation
- CE Marking.




Toilet seat cover 02 white



code **888360**

- Material: Duroplast
- Shape: Round
- Antibacterial;
- Top fixation top fastening system
- Soft-close
- Certifications: NF.







seat cover with

CLIPP-OFF
system for perfect cleaning



strong seat cover with **SOFT-CLOSE** system



RIM-OFF toilet without closed rim



sewer and water connections with glazed finish

LAKE wall-hung

Black wall-hung toilet




code 888236





- Material: Vitreous China
- Rim-Off, no rim
- Sewer outlet: Horizontal connection to the wall (P-Trap)
- Water inlet and sewer outlet connections with internal glazing
- Concealed fixation
- Flush volume: 6L
- CE Marking.



OLI


Black wall-hung bidet



code **888243**



- Material: Vitreous China
- Shape: Round
- Concealed fixation
- CE Marking.




Toilet seat cover 02 matt textured black



code 888361

- Material: Duroplast
- Shape: Round
- Antibacterial
- Top fixation top fastening system
- Soft-close.







seat cover with

CLIPP-OFF
system for perfect cleaning



strong seat cover with **SOFT-CLOSE** system



RIM-OFF toilet without closed rim



sewer and water connections with glazed finish

LAKE floor-standing

White back to wall toilet




code **888232**





- Rim-Off, no rim
- Sewer outlet: Horizontal connection to the wall (P-Trap)
- Water inlet and sewer outlet connections with internal glazing
- Semi-concealed fixation
- Flush volume: 5L
- CE Marking.




OLI

White back to wall bidet





- Shape: Round
- Semi-concealed fixation
- CE Marking.






Toilet seat cover 04 white



code **888605**



- Shape: Round
- Wrap-over seat
- Antibacterial
- Top fixation top fastening system
- Soft-close.




Toilet seat cover 06 white



code 889177

- Material: Duroplast
- Shape: Round
- Slim seat
- Antibacterial
- Top fixation top fastening system
- Soft-close.



Lagon







seat cover with
CLIPP-OFF
system for perfect cleaning



strong seat cover with **SOFT-CLOSE** system



RIM-OFF toilet without closed rim



Sewer and water connections with glazed finish

LAGOON wall-hung

White wall-hung toilet



code **888238**

White wall-hung bidet



code **888246**

Toilet seat cover 03 white



code 888362

LAGOON

floor-standing

White back to wall toilet



code 888233

White Back to wall bidet




code 888240






code 888606

- Material: Vitreous China;
- Normal rim;
- Sewer outlet: Horizontal connection to the wall (P-Trap);
- Water inlet and sewer outlet connections with internal glazing;
- Semi-concealed fixation;
- Flush volume: 6L/4L;
- CE Marking: EN.






- Material: Vitreous China;
- Semi-concealed fixation.





- Material: Thermoplast;
- Shape: Round;
- Antibacterial;
- Top fixation top fastening system
- Soft-close.






- Rim-Off, no rim;
- Sewer outlet: Horizontal connection to the wall (P-Trap);
- Water inlet and sewer outlet connections with internal glazing;
- Visible fixation;
- Flush volume: 6L;
- CE Marking: EN






- Material: Vitreous China;
- Visible fixation.





- Material: Duroplast;
- Color: White;
- Shape: Round;
- Antibacterial;
- Top fixation top fastening system
- Soft-close.









REMOTE CONTROL allows customised operation



ELECTRONIC BIDETcan be installed or replaced very easily (like a cartridge)



SMART TOILET hygienic and innovative modular system

HYGEA

The word Hygea, with its origin in Greek mythology, represents the goddess of health and hygiene, and has given rise to a new concept of intelligent toilet that has been designed to **promote a feeling of freshness and cleanliness, as if you had just stepped out of the shower.**



White



code 888514

Satin anthracite



code 888516

Satin sand



code **888517**

Satin white




code 888515

Satin grey




code 888718

- Silent mode;
- Cleaning modes (both genders): 2;
- User's memories: 2;
- Nozzle oscillation;
- Adjustable water pressure;
- Adjustable nozzle position;
- Adjustable water temperature;
- Special functions: Auto | Children;
- Certifications: SVGW, DVGW, RoHS, CE.



For more information, please contact OLI sales team.





The **BALANCE** shower tray range is distinguished by its balance between a textured matt non-slip finish and a modern minimalist design.

Antibacterial material that guarantees perfect hygiene.




Low thickness

125 mm 127




HIGH RESISTANCE

The **BALANCE** range is now available in two shades, White and Black, which, combined with 12 different dimensions, guarantees **greater flexibility in application**.



It stands out for the possibility of being cut to size



- Extra flat shower tray;
- Reduced thickness 25mm 27mm;
- Class 3, non-slip according to UNE 41901:2017 EX;
- External coating in high resistance sanitary gel coat;
- Interior mineral charge with coloured putty resin;
- AISI 316 stainless steel floor drain;
- Color: White RAL 9016 Black RAL 7021;
- Flush valve Ø90 included;
- Available in different colors;
- Can be cut to size."

L (mm)	X (mm)	D (mm)
800	250	25
900	250	25
1000	250	25
1100	250	25
1200	250	25
1300	350	25
1400	350	25
1500	450	27
1600	450	27
1700	450	27
1800	450	27
1900	620	27
2000	620	27
2100	620	27


For more information, please contact OLI sales team.



BALANCE



It stands out for the possibility of being cut to size



L (mm)	X (mm)	D (mm)
800	250	25
900	250	25
1000	250	25
1100	250	25
1200	250	25
1300	350	25
1400	350	25
1500	450	27
1600	450	27
1700	450	27
1800	450	27
1900	620	27
2000	620	27
2100	620	27

code				code				
white	black		white	black				
OB0070901	OB0070902	700x900	OB0802101	OB0802102	800x2100			
OB0701001	OB0701002	700x1000	OB0090901	OB0090902	900x900			
OB0701101	OB0701102	700X1100	OB0901001	OB0901002	900x1000			
OB0701201	OB0701202	700x1200	OB0901101	OB0901102	900x1100			
OB0701301	OB0701302	700x1300	OB0901201	OB0901202	900x1200			
OB0701401	OB0701402	700x1400	OB0901301	OB0901302	900x1300			
OB0701501	OB0701502	700X1500	OB0901401	OB0901402	900x1400			
OB0701601	OB0701602	700x1600	OB0901501	OB0901502	900x1500			
OB0701701	OB0701702	700X1700	OB0901601	OB0901602	900x1600			
OB0701801	OB0701802	700X1800	OB0901701	OB0901702	900x1700			
OB0701901	OB0701902	700x1900	OB0901801	OB0901802	900x1800			
OB0702001	OB0702002	700x2000	OB0901901	OB0901902	900x1900			
OB0702101	OB0702102	700x2100	OB0902001	OB0902002	900x2000			
			OB0902101	OB0902102	900x2100			
OB0080801	OB0080802	800x800						
OB0080901	OB0080902	800x900	OB1001001	OB1001002	1000x1000			
OB0801001	OB0801002	800x1000	OB1001101	OB1001102	1000x1100			
OB0801101	OB0801102	800x1100	OB1001201	OB1001202	1000x1200			
OB0801201	OB0801202	800x1200	OB1001301	OB1001302	1000x1300			
OB0801301	OB0801302	800x1300	OB1001401	OB1001402	1000x1400			
OB0801401	OB0801402	800x1400	OB1001501	OB1001502	1000x1500			
OB0801501	OB0801502	800x1500	OB1001601	OB1001602	1000x1600			
OB0801601	OB0801602	800x1600	OB1001701	OB1001702	1000x1700			
OB0801701	OB0801702	800X1700	OB1001801	OB1001802	1000x1800			
OB0801801	OB0801802	800x1800	OB1001901	OB1001902	1000x1900			
OB0801901	OB0801902	800x1900	OB1002001	OB1002002	1000x2000			
OB0802001	OB0802002	800x2000	OB1002101	OB1002102	1000x2100			







The **matte black** finish is a market trend. With its soft touch, the OCEAN range is the final touch to an industrial style bathroom.



A tap range with a durable chrome finish, **guaranteed quality** and resistant to several years of use.



WATER CERTIFICATION - CLASS A

The OCEAN tap range have been put to ANQIP's demanding tests and trials, which resulted in a Class A rating according to the Water Efficiency Certification. With this classification, the OCEAN range becomes one of the most economical in its category.



Tall basin mixer tap

code **OA1000024** | polished chrome code **OA1000025** | black matt



Basin mixer tap

code **OA1000305** | polished chrome code **OA1000076** | black matt



Bidet mixer tap

code **OA1000306** | polished chrome code **OA1000073** | black matt



Shower mixer tap

code **OA1000080** | polished chrome code **OA1000081** | black matt



Bath mixer tap

code **OA1000308** | polished chrome code **OA1000071** | black matt



code **OA1000080** | polished chrome code **OA1000081** | black matt

COMPATIBILITY TOURTS / IN-WALL CISTERNS

	С	LI120 PLU	JS		OLI74 PLU	IS	E	EXPERT F	PLUS	QUAE	DRA PLUS	OLI80			
	DIRECT	BLOCK	SANITARBLOCK	DIRECT SIMFLEX		S90 SANITARBLOCK	DIRECT SIMFLEX		SANITARBLOCK	SANITARBLOCK DIRECT		DIRECT	SIMFLEX	SANITARBLOCK	
	w			T			Ţ			ou C		1		in the second	
RIVER		•	•		•	•		•	•		•		•	•	
LAKE floor-standing				•			•								
wall-hung		•	•		•	•		•	•		•		•	•	
LAGOON floor-standing		•	•		•	•		•	•		•		•	•	
wall-hung HYGEA	•			•			•	<u></u>		•		•			
nigeA			● SHT version*												



	MECHANIC VERSION											PNEUMATIC VERSION					ELECTRONIC VERSION				
	9 9	Qa		(+ =	-0-			95			1 T	+ -	0 0				Ħ -	-		some versions compliant with	
	LESS IS MORE	GLOBE	SLIM	OCEANIA	INO-X	NARROW	GLAM	PLAIN	METAL	RIA	TRUMPET	OCEANIA	BLINK	KARISMA	SALINA	MOON	GLASSY	eLINE	ELECTRA III	compliant with	
OLI120 PLUS	Minimum 10mm	Minimum 10mm	Minimum 15mm	-	-		Minimum with OLIPURE 15mm Minimum 10mm	Minimum 10mm	Minimum 15mm	Minimum 10mm	Minimum 5mm	Minimum 45mm	Minimum 5mm	Minimum 25mm	Minimum 15mm	Minimum 10mm	Minimum 10mm	Minimum 5mm	Minimum 15mm	kiwa kiwa kiwa kiwa wwa	
OLI74 PLUS	Minimum 5mm	Minimum Omm	Minimum Omm	Minimum 0mm	Minimum Omm		Minimum Omm	Minimum 0mm	Minimum Omm	Minimum Omm	Minimum 5mm	Minimum 20mm	Minimum 5mm	Minimum 25mm	Minimum 25mm	Minimum 10mm	Minimum 10mm	Minimum 5mm	Minimum Omm	SRES Wanter kiwa	
EXPERT PLUS (Top)	-	Minimum Omm	Minimum 30mm	-	-	* Minimum Omm	* Minimum Omm	* Minimum 5mm		Minimum Omm	Minimum Omm	Minimum Omm	Minimum Omm	Minimum 10mm	Minimum 10mm	-	-	-	-	BELGAGUA KIWA LIEUrga WRAS	
(Front)	Minimum 5mm	Minimum Omm	Minimum Omm	-	-	* Minimum 0mm	* Minimum Omm	Minimum 0mm		Minimum Omm	Minimum Omm	Minimum Omm	Minimum 0mm	Minimum 0mm	Minimum 0mm					WileMax	
QUADRA PLUS	Minimum 15mm	Minimum 5mm	Minimum 15mm	Minimum 15mm	Minimum 15mm	Minimum 10mm	Minimum 10mm	Minimum 10mm	Minimum Omm	Minimum 5mm	Minimum Omm	Minimum 5mm	Minimum Omm	Minimum 10mm	Minimum 5mm	-	-	-	-	₽	
OLI80	-	-	Minimum 5mm	-	-	Minimum Omm	-	Minimum Omm	Minimum Omm	Minimum 0mm	-	-	-	-	-	-	-	-	-	BILGAGUA	

NOTE: The measurements mentioned in the table above, refer to the minimum wall thickness. Example: Flush plate Globe, in the in-wall cistern OLI120 Plus needs a minimum front wall thickness of 10mm. Expert Plus - Top Applicatio: See kit code 211743. ** The catalog reference is not binding on the certifications mentioned.

^{*} Expert Plus - Front Application: ok



OLI120 PLUS

MAINTENANCE

Transparent protection

Tool free maintenance.

FAST-FIT SYSTEM 3 easy steps

Saves up to 9I of water

Class 1 Certified

WWW WWW



••••• FLUSH PLATE

Wide range of flush plates and actuations: mechanic, pneumatic, electronic and No-Touch



FLUSH VOLUME

Dual flush: 6/3 L. Adjustable to 4/2Lt. or 4.5/3 L.



OLIPURE

Cleans and sanitizes the toilet

per day

SHOWER TOILET

Prepared for shower toilet installation

OUTLET BEND

HEIGHT

in 200mm

ADJUSTABLE

400KG LOAD

FRAME TESTED FOR

Depth adjustable



OLI



···· INSTALLATION SYSTEM

Solid wall and all floor toilets.



Solid wall and all wall-hung toilets



Drywall, and all wall-hung toilets



ONE PERSON ASSEMBLY

10 YEAR GUARANTEE*



MAINTENANCE First spare parts set

OLI74 PLUS

(flush mechanism rubber and seal) for free



Saves up to 9I of water per day

SILENT VALVE Class 1 Certified

2 INLET VALVES

Second water source.



Minimum thickness

OUTLET BEND

Depth adjustable



in 150mm

....

HEIGHT ADJUSTABLE

FRAME TESTED FOR 400KG LOAD

* Except for electronic and wear parts

10 YEAR GUARANTEE*





FLUSH PLATE

Wide range of flush plates and actuations: mechanic, pneumatic, electronic and No-Touch



OLI

FLUSH VOLUME Dual flush: 6/3 Lt.


Adjustable to 4/2Lt. or 4.5/3 Lt.




HAPPY AIR

New solution for air renewal in bathrooms without windows

···· INSTALLATION SYSTEM







and all wall-hung toilets



OLIPURE

Cleans and sanitizes the toilet







ADJUSTABLE

in 200mm

^{*} Except for electronic and wear parts.

OLI80 10 YEAR GUARANTEE* ₩ww www FAST-FIT SYSTEM HIGH COST/BENEFIT RATIO OLI POLYPROPYLENE (PP) Highly resistant cistern inalterable to termal stress. FLUSH VOLUME Dual flush: 6/3 Lt. Adjustable to 4.5/3 Lt. FRAME TESTED FOR 400KG LOAD ... INSTALLATION SYSTEM Solid wall and all floor toilets. Solid wall and all wall-hung toilets Drywall, OUTLET BEND and all wall-hung toilets Depth adjustable

..... ONE PERSON ASSEMBLY

HEIGHT

ADJUSTABLE in 200mm




FIND OUT MORE ABOUT OLI PRODUCT RANGE AT:



GENERAL CATALOGUE 2023-2024

SANITARY SYSTEMS

Catalogue with all sanitary installation solutions, such as in-wall cisterns, exposed cisterns, flush plates or mechanisms.



FLUSH PLATES CATALOGUE 2023

Excellent support to check OLI flush plate range in real size.



OLI TECH

OLI TECH WAS DEVELOPED FOR SMARTPHONE AND TABLET TO PROVIDE DIRECT ACCESS TO USEFUL INFORMATION FOR PROFESSIONALS.

Get quick access to technical data sheets, assembly instructions, maintenance videos and product features that OLL offers to market.









SHOWROOM 360°

PRESENTS SEVERAL SOLUTIONS OF SUSTAINABLE FLUSHING SYSTEMS, DUAL FLUSH FLUSH PLATES AND MECHANISMS FOR ALL TYPES OF WALLS AND TOILETS.

Browse and discover all innovative and sustainable solutions in a configuration that brings you closer to the real installation.

Discover new products and find all the necessary information in an intuitive way!





YOUTUBE

OLI has several product and installation videos for both its sanitary ware range and installation systems.



OLI ON SOCIAL MEDIA

FOLLOW ALL OLI UPDATES AND NEWS













ZB03000000059 C.0142.00-03/2024

OLI-Sistemas Sanitários, S.A.

Travessa do Milão, 10 Esgueira 3800-314 Aveiro, Portugal

T (+351) 234 300 200 F (+351) 234 300 212 Call to Portuguese mobile phone network

www.oli-world.com export@oli-world.com

Inspired by water...